

Literaturverzeichnisse 2025

Inhaltsverzeichnis

[01-2025: Literaturverzeichnis von Engelhardt, Hudek](#)

[01-2025: Literaturverzeichnis Kiriazis, Pallmann, Holschen, Agneskirchner](#)

[01-2025: Literaturverzeichnis Reeh, Riesselmann, Lill, Ellwein](#)

[01-2024: Literaturverzeichnis Fal, Kircher](#)

[05-2025: Literaturverzeichnis Drenck, Korthaus, Eggeling, Frings, Frosch, Akoto](#)

Literaturverzeichnisse 2025

Inhaltsverzeichnis

Literatur zum Beitrag

Lars Victor von Engelhardt, Robert Hudek:

Konservative Therapie und arthroskopische CAM Prozedur bei der Schulterarthrose

Wie kommen wir zu guten Ergebnissen?

- Ahrens PM, Boileau P: The long head of biceps and associated tendinopathy. *J Bone Joint Surg Br* 2007; 89(8): 1001–1009
- Alashkham A, Soames R: The glenoid and humeral head in shoulder osteoarthritis: A comprehensive review. *Clin Anat* 2021; 34(5): 710–720
- Arner JW, Elrick BP, Nolte PC, Haber DB, Horan MP, Millett PJ: Survivorship and patient-reported outcomes after comprehensive arthroscopic management of glenohumeral osteoarthritis: minimum 10-year follow-up. *Am J Sports Med* 2021; 49(1): 130–136
- Batushansky A, Zhu S, Komaravolu RK, South S, Mehta-D'souza P, Griffin TM: Fundamentals of OA. An initiative of osteoarthritis and cartilage. Chapter 9: Obesity and metabolic factors in OA. *Osteoarthritis Cartilage* 2021; 21(00880–3): 1063–4584
- Böhm E, Gleich J, Siebenbürger G, Böcker W, Ockert B: Rotatorenmanschettenruptur Indikationen und pathologiespezifische rekonstruktive Verfahren. *Unfallchirurg* 2021; 124: 108–116
- Braun C, Hanchard NC, Handoll HH, Betthäuser A: Predicting the outcome of conservative treatment with physiotherapy in adults with shoulder pain associated with partial-thickness rotator cuff tears – a prognostic model development study. *BMC Musculoskelet Disord* 2018; 19: 329
- Chalmers PN, Salazar DH, Steger-May K et al.: Radiographic progression of arthritic changes in shoulders with degenerative rotator cuff tears. *J Shoulder Elbow Surg* 2016; 25(11): 1749–1755
- Chong AC, Ochs JL, Zackula RE, MacFadden LN, Prohaska DJ: The effect of different combinations of three stacked half-hitches and suture materials on an arthroscopic knot in a dry or wet environment. *Iowa Orthop J* 2018; 38: 79–86
- Codman EA: The shoulder; rupture of the supraspinatus tendon and other lesions in or about the subacromial bursa. Boston: T. Todd Company, 1934
- Colen S, Geervliet P, Haverkamp D, Van Den Bekerom MP: Intra-articular infiltration therapy for patients with glenohumeral osteoarthritis: a systematic review of the literature. *Int J Shoulder Surg* 2014; 8(4): 114–121
- Di Giacomo G, De Gasperis N: The role of hyaluronic acid in patients affected by glenohumeral osteoarthritis. *J Biol Regul Homeost Agents* 2015; 29(4): 945–951
- Dong Y, Zhang B, Yang Q, Zhu J, Sun X: The effects of platelet-rich plasma injection in knee and hip osteoarthritis: a meta-analysis of randomized controlled trials. *Clin Rheumatol* 2021; 40(1): 263–277
- Goyal D, Keyhani S, Lee EH, Hui JH: Evidence-based status of microfracture technique: a systematic review of level I and II studies. *Arthroscopy* 2013; 29(9): 1579–1588
- Guo JJ, Wu K, Guan H et al.: Three-Year Follow-up of conservative treatments of shoulder osteoarthritis in older patients. *Orthopedics* 2016; 39(4): 634–641
- Harkness EF, Macfarlane GJ, Silman AJ et al.: Is musculoskeletal pain more common now than 40 years ago? Two population-based cross-sectional studies. *Rheumatology* 2005; 44(7): 890–895
- Heuberger PR, Kolblinger R, Buchleitner S et al.: Arthroscopic management of massive rotator cuff tears: an evaluation of debridement, complete, and partial repair with and without force couple restoration. *Knee Surg Sports Traumatol Arthrosc* 2016; 24: 3828–3837
- Ibounig T, Simons T, Launonen A, Paavola M: Glenohumeral osteoarthritis: an overview of etiology and diagnostics. *Scandinavian Journal of Surgery*. 2021; 110(3): 441–451
- Jeong HY, Jeon YS, Lee DK, Rhee YG: Rotator cuff tear with early osteoarthritis: how does it affect clinical outcome after large to massive rotator cuff repair? *J Shoulder Elbow Surg* 2019; 28(2): 237–243
- Keener JD, Galatz LM, Teefey SA et al.: A prospective evaluation of survivorship of asymptomatic degenerative rotator cuff tears. *J Bone Joint Surg Am* 2015; 97: 89–98
- Keener JD, Patterson BM, Orvets N, Chamberlain AM: Degenerative rotator cuff tears: refining surgical indications based on natural history data. *J Am Acad Orthop Surg* 2019; 27(5): 156–165
- Kim DH, Min SG, Lee HS et al.: Clinical outcome of rotator cuff repair in patients with mild to moderate glenohumeral osteoarthritis. *Knee Surg Sports Traumatol Arthrosc* 2021; 29(3): 998–1005
- Kim SH, Yoo JC, Wang JH, Choi KW, Bae TS, Lee CY: Arthroscopic sliding knot: how many additional half-hitches are really needed? *Arthroscopy* 2005; 21(4): 405–411
- Kim YS, Kim SE, Bae SH, Lee HJ, Jee WH, Park CK: Tear progression of symptomatic full-thickness and partial-thickness rotator cuff tears as measured by repeated MRI. *Knee Surg Sports Traumatol Arthrosc* 2017; 25(7): 2073–2080
- Kim YS, Lee HJ, Kim JH, Noh DY: When should we repair partial-thickness rotator cuff tears? Outcome comparison between immediate surgical repair versus delayed repair after 6-month period of nonsurgical treatment. *Am J Sports Med* 2018; 46: 1091–1096
- Kircher J, Morhard M, Magosch P, Ebinger N, Lichtenberg S, Habermeyer P: How much are radiological parameters related to clinical symptoms and function in osteoarthritis of the shoulder? *Int Orthop* 2010; 34(5): 677–681
- Kirschner JS, Cheng J, Creighton A et al.: Efficacy of Ultrasound-Guided Glenohumeral Joint Injections of Leukocyte-Poor Platelet-Rich Plasma Versus Hyaluronic Acid in the Treatment of Glenohumeral Osteoarthritis: A Randomized, Double-Blind Controlled Trial. *Clin J Sport Med*. 2022; 32(6): 558–566
- Kraeutler MJ, Cohen SB, Ciccotti MG, Dodson CC: Accuracy of intra-articular injections of the glenohumeral joint through an anterior approach:

- arthroscopic correlation. *J Shoulder Elbow Surg* 2012; 21(3): 380–383
28. Loughlin J: Genetic contribution to osteoarthritis development: current state of evidence. *Curr Opin Rheumatol* 2015; 27(3): 284–288
29. Mannava S, Chahla J, Geeslin AG et al.: Platelet-rich plasma augmentation for hip arthroscopy. *Arthrosc Tech* 2017; 6(3): 763–768
30. Marcacci M, Andriolo L, Kon E, Shabshin N, Filardo G: Aetiology and pathogenesis of bone marrow lesions and osteonecrosis of the knee. *EFORT Open Rev* 2017; 1(5): 219–224
31. Marinko LN, Chacko JM, Dalton D, Chacko CC: The effectiveness of therapeutic exercise for painful shoulder conditions: a meta-analysis. *J Shoulder Elbow Surg* 2011; 20(8): 1351–1359
32. Matava MJ, Purcell DB, Rudzki JR: Partial-thickness rotator cuff tears. *Am J Sports Med* 2005; 33(9): 1405–1417
33. Meier SW, Meier JD: Rotator cuff repair: the effect of double-row fixation on three-dimensional repair site. *J Shoulder Elbow Surg* 2006; 15(6): 691–696
34. Memel DS, Kirwan JR, Sharp DJ, Hehir M: General practitioners miss disability and anxiety as well as depression in their patients with osteoarthritis. *Br J Gen Pract* 2000; 50(457): 645–648
35. Merolla G, Sperling JW, Paladini P, Porcellini G: Efficacy of hylan G-F 20 versus 6-methylprednisolone acetate in painful shoulder osteoarthritis: a retrospective controlled trial. *Musculoskelet Surg* 2011; 95(3): 215–224
36. Miller C, Savoie FH: Glenohumeral abnormalities associated with full-thickness tears of the rotator cuff. *Orthop Rev* 1994; 23(2): 159–162
37. Millett PJ, Fritz EM, Frangiamore SJ, Mannava S: Arthroscopic management of glenohumeral arthritis: a joint preservation approach. *J Am Acad Orthop Surg* 2018; 26(21): 745–752
38. Millett PJ, Gaskill TR: Arthroscopic management of glenohumeral arthritis: humeral osteoplasty, capsular release, and arthroscopic axillary nerve release as a joint-preserving approach. *Arthroscopy* 2011; 27(9): 1296–1303
39. Millett PJ, Gobeze R, Boykin RE: Shoulder osteoarthritis: diagnosis and management. *Am Fam Physician* 2008; 78(5): 605–611
40. Millett PJ, Horan MP, Penneck AT, Rios D: Comprehensive Arthroscopic Management (CAM) procedure: clinical results of a joint-preserving arthroscopic treatment for young, active patients with advanced shoulder osteoarthritis. *Arthroscopy* 2013; 29(3): 440–448
41. Mitchell JJ, Horan MP, Greenspoon JA, Menge TJ, Tahal DS, Millett PJ: Survivorship and patient-reported outcomes after comprehensive arthroscopic management of glenohumeral osteoarthritis: minimum 5-year follow-up. *Am J Sports Med* 2016; 44(12): 3206–3213
42. Mitchell JJ, Warner BT, Horan MP et al.: Comprehensive arthroscopic management of glenohumeral osteoarthritis: preoperative factors predictive of treatment failure. *Am J Sports Med* 2017; 45(4): 794–802
43. Mithoefer K, McAdams T, Williams RJ, Kreuz PC, Mandelbaum BR: Clinical efficacy of the microfracture technique for articular cartilage repair in the knee: an evidence-based systematic analysis. *Am J Sports Med* 2009; 37(10): 2053–2063
44. Mook WR, Petri M, Greenspoon JA, Millett PJ: The comprehensive arthroscopic management procedure for treatment of glenohumeral osteoarthritis. *Arthrosc Tech* 2015; 4(5): 435–441
45. Moosmayer S, Lund G, Seljom U et al.: Comparison between surgery and physiotherapy in the treatment of small and medium-sized tears of the rotator cuff: a randomised controlled study of 103 patients with one-year follow-up. *J Bone Joint Surg Br* 2010; 92: 83–91
46. Moosmayer S, Lund G, Seljom US et al.: At a 10-year follow-up, tendon repair is superior to physiotherapy in the treatment of small and medium-sized rotator cuff tears. *J Bone Joint Surg Am* 2019; 101(12): 1050–1060
47. Nagra NS, Zargar N, Smith RD, Carr AJ: Mechanical properties of all-suture anchors for rotator cuff repair. *Bone Joint Res* 2017; 6(2): 82–89
48. Namdari S, Henn RF 3rd, Green A: Traumatic anterosuperior rotator cuff tears: the outcome of open surgical repair. *J Bone Joint Surg Am* 2008; 90: 1906–1913
49. Nho SJ, Slabaugh MA, Seroyer ST et al.: Does the literature support double-row suture anchor fixation for arthroscopic rotator cuff repair? A systematic review comparing double-row and single-row suture anchor configuration. *Arthroscopy* 2009; 25(11): 1319–1328
50. Nolte PC, Elrick BP, Arner JW et al.: Total shoulder arthroplasty after previous arthroscopic surgery for glenohumeral osteoarthritis: a case-control matched cohort study. *Am J Sports Med* 2021; 49(7): 1839–1846
51. Ogilvie-Harris DJ, Wiley AM: Arthroscopic surgery of the shoulder. A general appraisal. *J Bone Joint Surg Br* 1986; 68(2): 201–207
52. Osti L, Buda M, Andreotti M, Osti R, Massari L, Maffulli N: Transtendon repair in partial articular supraspinatus tendon tear. *Br Med Bull* 2017; 123(1): 19–34
53. Padki A, Chen JY, Lee MJH, Ang BFH, Lie DTT: Septuagenarians aged 75 years and older do benefit from arthroscopic rotator cuff repair: a propensity matched-pair analysis. *JSES Int* 2021; 5(3): 459–462
54. Park JG, Cho NS, Song JH, Baek JH, Jeong HY, Rhee YG: Rotator cuff repair in patients over 75 years of age: clinical outcome and repair integrity. *Clin Orthop Surg* 2016; 8(4): 420–427
55. Pedowitz RA, Nicandri GT, Angelo RL, Ryu RK, Gallagher AG: Objective assessment of knot-tying proficiency with the fundamentals of arthroscopic surgery training program workstation and knot tester. *Arthroscopy* 2015; 31(10): 1872–1879
56. Plachel F, Moroder P, Gerhardt C, Scheibel M: Anterosuperiore Rotatorenmanschettenläsion beim jungen Patienten. *Arthroskopie* 2017; 30: 216–222
57. Rafols C, Monckeberg JE, Numair J, Botello J, Rosales J: Platelet-rich plasma augmentation of arthroscopic hip surgery for femoroacetabular impingement: a prospective study with 24-month follow-up. *Arthroscopy* 2015; 31(10): 1886–1892
58. Rijs Z, de Groot PCJ, Zwitter EW, Visser CPJ: Is the anterior injection approach without ultrasound guidance superior to the posterior approach for adhesive capsulitis of the shoulder? A sequential, prospective trial. *Clin Orthop Relat Res* 2021; 479(11): 2483–2489
59. Ruder JA, Dickinson EY, Peindl RD, Habet NA, Fleischli JE: Greater tuberosity decortication decreases load to failure of all-suture anchor constructs in rotator cuff repair. *Arthroscopy* 2018; 34(10): 2777–2781
60. Rutten MJ, Collins JM, Maresch BJ, et al.: Glenohumeral joint injection: a comparative study of ultrasound and fluoroscopically guided techniques before MR arthrography. *Eur Radiol* 2009; 19(3): 722–730
61. Samilson RL, Prieto V: Dislocation arthropathy of the shoulder. *J Bone Joint Surg Am* 1983; 65(4): 456–460

62. Schoenfeldt TL, Trenhaile S, Olson R: Glenohumeral osteoarthritis: frequency of underlying diagnoses and the role of arm dominance—a retrospective analysis in a community-based musculoskeletal practice. *Rheumatol Int* 2018; 38(6): 1023–1029
63. Sethi PM, Kingston S, Elattrache N: Accuracy of anterior intra-articular injection of the glenohumeral joint. *Arthroscopy* 2005; 21(1): 77–80
64. Sheibani-Rad S, Giveans MR, Arnoczky SP, Bedi A: Arthroscopic single-row versus double-row rotator cuff repair: a meta-analysis of the randomized clinical trials. *Arthroscopy* 2013; 29(2): 343–348
65. Smith CD, Alexander S, Hill AM, et al.: A biomechanical comparison of single and double-row fixation in arthroscopic rotator cuff repair. *J Bone Joint Surg Am* 2006; 88(11): 2425–2431
66. Strauss EJ, Salata MJ, Kercher J, et al.: Multimedia article. The arthroscopic management of partial-thickness rotator cuff tears: a systematic review of the literature. *Arthroscopy* 2011; 27(4): 568–580
67. Sun L, Zhang Q, Ge H, Sun Y, Cheng B: Which is the best repair of articular-sided rotator cuff tears: a meta-analysis. *J Orthop Surg Res* 2015; 10: 84
68. Urwin M, Symmons D, Allison T, et al.: Estimating the burden of musculoskeletal disorders in the community: the comparative prevalence of symptoms at different anatomical sites, and the relation to social deprivation. *Ann Rheum Dis* 1998; 57(11): 649–655
69. Van Thiel GS, Sheehan S, Frank RM, et al.: Retrospective analysis of arthroscopic management of glenohumeral degenerative disease. *Arthroscopy* 2010; 26(11): 1451–1455
70. Verweij LPE, Pruijssen EC, Kerkhoffs GMMJ, et al.: Treatment type may influence degree of post-dislocation shoulder osteoarthritis: a systematic review and meta-analysis. *Knee Surg Sports Traumatol Arthrosc* 2021; 29(7): 2312–2324
71. Wang X, Hunter D, Xu J, Ding C: Metabolic triggered inflammation in osteoarthritis. *Osteoarthritis Cartilage* 2015; 23(1): 22–30
72. Weinstein DM, Bucchieri JS, Pollock RC, Flatow EL, Bigliani LU: Arthroscopic debridement of the shoulder for osteoarthritis. *Arthroscopy* 2000; 16(5): 471–476
73. Wieser K, Rahm S, Farshad M, Ek ET, Gerber C, Meyer DC: Stitch positioning influences the suture hold in supraspinatus tendon repair. *Knee Surg Sports Traumatol Arthrosc* 2013; 21(7): 1587–1592
74. Yamanaka K, Fukuda H: Pathological studies of the supraspinatus tendon with reference to incomplete thickness tears. In: Takagishi N (Hrsg): *The shoulder*. Tokio: Professional Postgraduate Studies, 1987: 220–224
75. Yamanaka K, Matsumoto T: The joint side tear of the rotator cuff. A follow-up study by arthrography. *Clin Orthop Relat Res* 1994; (304): 68–73
76. Zedde P, Cudoni S, Giachetti G et al.: Subchondral bone remodeling: comparing nanofracture with microfracture. An ovine in vivo study. *Joints* 2016; 4(2): 87–93
77. Zhang L, Xing R, Huang Z, et al.: Synovial fibrosis involvement in osteoarthritis. *Front Med (Lausanne)* 2021; 8: 684389
78. Zhang W, Doherty M, Arden N, et al.: EULAR evidence based recommendations for the management of hip osteoarthritis: report of a task force of the EULAR Standing Committee for International Clinical Studies Including Therapeutics (ESCISIT). *Ann Rheum Dis* 2005; 64(5): 669–681
79. Zink TR, Schmidt CC, Papadopoulos DV, et al.: Locating the rotator cable during subacromial arthroscopy: bursal- and articular-sided anatomy. *J Shoulder Elbow Surg* 2021; 30(7): 57–65

Literatur zum Beitrag

Alexandros Kiriazis, Jonas Pallmann, Malte Holschen, Jens Agneskirchner:

Aktuelles zur Diagnostik und Therapie der symptomatischen langen Bizepssehne

1. Ahmed AF, Toubasi A, Mahmoud S et al.: Long head of biceps tenotomy versus tenodesis: a systematic review and meta-analysis of randomized controlled trials. *Shoulder Elbow* 2021; 13:583–591
2. Alqahtani SM, Bicknell RT: Outcomes following long head of biceps tendon tenodesis. *Curr Rev Musculoskeletal Med* 2016; 9:378–387
3. Ardebol J, Ghayyad K, Pak T et al.: Long head of biceps tendon management in the setting of massive rotator cuff tears. *JSES Rev Rep Tech* 2024; 4:662–667
4. Armstrong A, Teefey SA, Wu T et al.: The efficacy of ultrasound in the diagnosis of long head of the biceps tendon pathology. *J Shoulder Elbow Surg* 2006; 15:7–11
5. Barile A, Lanni G, Conti L et al.: Lesions of the biceps pulley as cause of anterosuperior impingement of the shoulder in the athlete: potentials and limits of MR arthrography compared with arthroscopy. *Radiol Med* 2013; 118:112–122
6. Beall DP, Williamson EE, Ly JQ et al.: Association of biceps tendon tears with rotator cuff abnormalities: degree of correlation with tears of the anterior and superior portions of the rotator cuff. *AJR Am J Roentgenol* 2003; 180:633–639
7. Belay ES, Wittstein JR, Garrigues GE et al.: Biceps tenotomy has earlier pain relief compared to biceps tenodesis: a randomized prospective study. *Knee Surg Sports Traumatol Arthrosc* 2019; 27:4032–4037
8. Belk JW, Kraeutler MJ, Houck DA et al.: Biceps tenodesis versus tenotomy: a systematic review and meta-analysis of level I randomized controlled trials. *J Shoulder Elbow Surg* 2021; 30:951–960
9. Boileau P, Ahrens PM, Hatzidakis AM: Entrapment of the long head of the biceps tendon: the hourglass biceps—a cause of pain and locking of the shoulder. *J Shoulder Elbow Surg* 2002; 13:249–257
10. Boileau P, Parratte S, Chuinard C et al.: Arthroscopic treatment of isolated type II SLAP lesions: biceps tenodesis as an alternative to reinsertion. *Am J Sports Med* 2009; 37:929–936
11. Boutin RD, Marder RA: MR Imaging of SLAP Lesions. *The Open Orthopaedics Journal* 2018; 12:314–323
12. Brockmeyer M, Tompkins M, Kohn DM et al.: SLAP lesions: a treatment algorithm. *Knee Surg Sports Traumatol Arthrosc* 2016; 24:447–455
13. Castricini R, Familiari F, De Gori M et al.: Tenodesis is not superior to tenotomy in the treatment of the long head of biceps tendon lesions. *Knee Surg Sports Traumatol Arthrosc* 2018; 26:169–175
14. Castro BKC, Corrêa FG, Maia LB et al.: Effectiveness of conservative therapy in tendinopathy-related shoulder pain: A systematic review of randomized controlled trials. *Phys Ther Sport* 2021; 49:15–20
15. Chen CH, Hsu KY, Chen WJ et al.: Incidence and severity of biceps long head tendon lesion in patients with complete rotator cuff tears. *J Trauma* 2005; 58:1189–1193
16. Churgay CA: Diagnosis and treatment of biceps tendinitis and tenodesis. *Am Fam Physician* 2009; 80:470–476
17. Connolly KP, Schwartzberg RS, Reuss B et al.: Sensitivity and specificity of noncontrast magnetic resonance imaging reports in the diagnosis of type-II superior labral anterior-posterior lesions in the community setting. *J Bone Joint Surg Am* 2013; 95:308–313
18. Dierickx C, Ceccarelli E, Conti M et al.: Variations of the intra-articular portion of the long head of the biceps tendon: a classification of embryologically explained variations. *J Shoulder Elbow Surg* 2009; 18:556–565
19. Diplock B, Hing W, Marks D: The long head of biceps at the shoulder: a scoping review. *BMC Musculoskeletal Disorders* 2023; 24
20. Dubrow SA, Streit JJ, Shishani Y et al.: Diagnostic accuracy in detecting tears in the proximal biceps tendon using standard nonenhancing shoulder MRI. *Open Access J Sports Med* 2014; 5:81–87
21. Duff SJ, Campbell PT: Patient acceptance of long head of biceps brachii tenotomy. *J Shoulder Elbow Surg* 2012; 21:61–65
22. Elser F, Braun S, Dewing CB et al.: Anatomy, function, injuries, and treatment of the long head of the biceps brachii tendon. *Arthroscopy* 2011; 27:581–592
23. Eubank BHF, Lackey SW, Slomp M et al.: Consensus for a primary care clinical decision-making tool for assessing, diagnosing, and managing shoulder pain in Alberta, Canada. *BMC Family Practice* 2021; 22
24. Frank RM, Cotter EJ, Strauss EJ et al.: Management of Biceps Tendon Pathology: From the Glenoid to the Radial Tuberosity. *Instr Course Lect* 2018; 67:439–452
25. Galdi B, Southren DL, Brabston EW et al.: Patients Have Strong Preferences and Perceptions for Biceps Tenotomy Versus Tenodesis. *Arthroscopy* 2016; 32:2444–2450
26. Ge H, Zhang Q, Sun Y et al.: Tenotomy or tenodesis for the long head of biceps lesions in shoulders: a systematic review and meta-analysis. *PLoS One* 2015; 10:e0121286
27. Gombera MM, Kahlenberg CA, Nair R et al.: All-arthroscopic suprapectoral versus open subpectoral tenodesis of the long head of the biceps brachii. *Am J Sports Med* 2015; 43:1077–1083
28. Habermeyer P, Magosch P, Pritsch M et al.: Anterosuperior impingement of the shoulder as a result of pulley lesions: a prospective arthroscopic study. *J Shoulder Elbow Surg* 2004; 13:5–12
29. Hughes JD, Gibbs CM, Drummond M et al.: Failure rates and clinical outcomes after treatment for long-head biceps brachii tendon pathology: a comparison of three treatment types. *JSES Int* 2021; 5:630–635
30. Itoi E, Newman SR, Kuechle DK et al.: Dynamic anterior stabilisers of the shoulder with the arm in abduction. *J Bone Joint Surg Br* 1994; 76:834–836
31. Jackson GR, Meade J, Coombes K et al.: Onlay Versus Inlay Biceps Tenodesis for Long Head of Biceps Tendinopathy: A Systematic Review and

- Meta-analysis. *J Am Acad Orthop Surg Glob Res Rev* 2022; 6
32. Karlsson J: Physical examination tests are not valid for diagnosing SLAP tears: a review. *Clin J Sport Med* 2010; 20:134–135
33. Kerschbaum M, Weiss I, Mayr A et al.: The Arthroscopic Loop Tenodesis Procedure: An Implant-Free Technique to Treat Long Biceps Tendon Pathologies. *Arthroscopy Techniques* 2019; 8:e503–e506
34. Kim TK, Queale WS, Cosgarea AJ et al.: Clinical features of the different types of SLAP lesions: an analysis of one hundred and thirty-nine cases. *J Bone Joint Surg Am* 2003; 85:66–71
35. Lacheta L, Horan MP, Nolte PC et al.: SLAP Repair Versus Subpectoral Biceps Tenodesis for Isolated SLAP Type 2 Lesions in Overhead Athletes Younger Than 35 Years: Comparison of Minimum 2-Year Outcomes. *Orthop J Sports Med* 2022; 10:23259671221105239
36. Maffet MW, Gartsman GM, Moseley B: Superior labrum-biceps tendon complex lesions of the shoulder. *Am J Sports Med* 1995; 23:93–98
37. Mariani EM, Cofield RH, Askew LJ et al.: Rupture of the tendon of the long head of the biceps brachii. Surgical versus nonsurgical treatment. *Clin Orthop Relat Res* 1988; 233–239
38. Martetschläger F, Tauber M, Habermeyer P: Injuries to the Biceps Pulley. *Clin Sports Med* 2016; 35:19–27
39. Mccrum CL, Alluri RK, Batech M et al.: Complications of biceps tenodesis based on location, fixation, and indication: a review of 1526 shoulders. *J Shoulder Elbow Surg* 2019; 28:461–469
40. Mccrum E: MR Imaging of the Rotator Cuff. *Magn Reson Imaging Clin N Am* 2020; 28:165–179
41. Meeks BD, Meeks NM, Froehle AW et al.: Patient Satisfaction After Biceps Tenotomy. *Orthop J Sports Med* 2017; 5:2325967117707737
42. Mehl J: Proximal Biceps Long Head: Anatomy, Biomechanics, Pathology. *Operative Techniques in Sports Medicine* 2018; 26:76–81
43. Morgan CD, Burkhart SS, Palmeri M et al.: Type II SLAP lesions: three subtypes and their relationships to superior instability and rotator cuff tears. *Arthroscopy* 1998; 14:553–565
44. Murthi AM, Vosburgh CL, Neviasser TJ: The incidence of pathologic changes of the long head of the biceps tendon. *J Shoulder Elbow Surg* 2000; 9:382–385
45. Nho SJ, Strauss EJ, Lenart BA et al.: Long head of the biceps tendinopathy: diagnosis and management. *J Am Acad Orthop Surg* 2010; 18:645–656
46. Onyekwelu I, Khatib O, Zuckerman JD et al.: The rising incidence of arthroscopic superior labrum anterior and posterior (SLAP) repairs. *J Shoulder Elbow Surg* 2012; 21:728–731
47. Parisien RL, Trofa DP, Kang HP et al.: Increased Risk of Humeral Fracture With Open Versus Arthroscopic Tenodesis of the Long Head of the Biceps Brachii. *Arthrosc Sports Med Rehabil* 2020; 2:e329–e332
48. Patterson BM, Creighton RA, Spang JT et al.: Surgical Trends in the Treatment of Superior Labrum Anterior and Posterior Lesions of the Shoulder: Analysis of Data From the American Board of Orthopaedic Surgery Certification Examination Database. *Am J Sports Med* 2014; 42:1904–1910
49. Provencher MT, McCormick F, Dewing C et al.: A prospective analysis of 179 type 2 superior labrum anterior and posterior repairs: outcomes and factors associated with success and failure. *Am J Sports Med* 2013; 41:880–886
50. Rudisill SS, Best MJ, O'donnell EA: Clinical Outcomes of Revision Biceps Tenodesis for Failed Long Head of Biceps Surgery: A Systematic Review. *Arthroscopy* 2021; 37(12):3529–3536
51. Schwantes J, Byerly DW: Biceps Tendon Sheath Injection. In: *StatPearls*. Treasure Island (FL) 2024
52. Shi LL, Mullen MG, Freehill MT et al.: Accuracy of long head of the biceps subluxation as a predictor for subscapularis tears. *Arthroscopy* 2015; 31:615–619
53. Slenker NR, Lawson K, Ciccotti MG et al.: Biceps tenotomy versus tenodesis: clinical outcomes. *Arthroscopy* 2012; 28:576–582
54. Snyder SJ, Karzel RP, Del Pizzo W et al.: SLAP lesions of the shoulder. *Arthroscopy* 1990; 6:274–279
55. Somerville L, Willits K, Johnson A et al.: Clinical Assessment of Physical Examination Maneuvers for Superior Labral Anterior to Posterior Lesions. *The Surgery Journal* 2017; 03:e154–e162
56. Streit JJ, Shishani Y, Rodgers M et al.: Tendinopathy of the long head of the biceps tendon: histopathologic analysis of the extra-articular biceps tendon and tenosynovium. *Open Access J Sports Med* 2015; 6:63–70
57. Vangsnest CT, Jr., Jorgenson SS, Watson T et al.: The origin of the long head of the biceps from the scapula and glenoid labrum. An anatomical study of 100 shoulders. *J Bone Joint Surg Br* 1994; 76:951–954
58. Varacallo M, Seaman TJ, Mair SD: Biceps Tendon Dislocation and Instability. In: *StatPearls*. Treasure Island (FL) 2024
59. Virk MS, Cole BJ: Proximal Biceps Tendon and Rotator Cuff Tears. *Clin Sports Med* 2016; 35:153–161
60. Virk MS, Nicholson GP: Complications of Proximal Biceps Tenotomy and Tenodesis. *Clin Sports Med* 2016; 35:181–188
61. Waldt S, Metz S, Burkart A et al.: Variants of the superior labrum and labro-bicipital complex: a comparative study of shoulder specimens using MR arthrography, multi-slice CT arthrography and anatomical dissection. *Eur Radiol* 2006; 16:451–458
62. Wellmann M: Diagnostics and treatment of anterosuperior rotator cuff tears. *Orthopade* 2016; 45:130–135
63. Wilk KE, Hooks TR: The Painful Long Head of the Biceps Brachii: Nonoperative Treatment Approaches. *Clin Sports Med* 2016; 35:75–92

Literatur zum Beitrag

Freya M. Reeh, Jan N. Riesselmann, Helmut Lill, Alexander Ellwein

Verletzungen des Acromioclaviculargelenkes Wie kommen wir mit der konservativen und/oder operativen Therapie zu optimalen Ergebnissen?

1. Nordqvist A, Petersson CJ. Incidence and causes of shoulder girdle injuries in an urban population. *J Shoulder Elbow Surg.* 1995;4(2):107–112
2. Allman FL, Jr. Fractures and ligamentous injuries of the clavicle and its articulation. *J Bone Joint Surg Am.* 1967;49(4):774–784
3. Chillemi C, Franceschini V, Dei Giudici L et al. Epidemiology of isolated acromioclavicular joint dislocation. *Emerg Med Int.* 2013;2013:171609
4. Pallis M, Cameron KL, Svoboda SJ, Owens BD. Epidemiology of acromioclavicular joint injury in young athletes. *Am J Sports Med.* 2012;40(9):2072–2077
5. Jensen G, Katthagen JC, Alvarado L, Lill H, Voigt C. Arthroscopically assisted stabilization of chronic AC-joint instabilities in GraftRope™ technique with an additive horizontal tendon augmentation. *Arch Orthop Trauma Surg.* 2013;133(6):841–851
6. Jensen G, Millett PJ, Tahal DS, Al Ibad M, Lill H, Katthagen JC. Concomitant glenohumeral pathologies associated with acute and chronic grade III and grade V acromioclavicular joint injuries. *Int Orthop.* 2017;41(8):1633–1640
7. Martetschläger F, Kraus N, Scheibel M, Streich J, Venjakob A, Maier D. The Diagnosis and Treatment of Acute Dislocation of the Acromioclavicular Joint. *Dtsch Arztebl Int.* 2019;116(6):89–95
8. Nolte PC, Lacheta L, Dekker TJ, Elrick BP, Millett PJ. Optimal Management of Acromioclavicular Dislocation: Current Perspectives. *Orthop Res Rev.* 2020;12:27–44
9. Kocher MS, Feagin JA, Jr. Shoulder injuries during alpine skiing. *Am J Sports Med.* 1996;24(5):665–669
10. Gumina S, Carbone S, Postacchini F. Scapular dyskinesis and SICK scapula syndrome in patients with chronic type III acromioclavicular dislocation. *Arthroscopy.* 2009;25(1):40–45
11. Aliberti GM, Kraeutler MJ, Trojan JD, Mulcahey MK. Horizontal Instability of the Acromioclavicular Joint: A Systematic Review. *Am J Sports Med.* 2020;48(2):504–510
12. Jensen G, Katthagen JC, Alvarado LE, Lill H, Voigt C. Has the arthroscopically assisted reduction of acute AC joint separations with the double tight-rope technique advantages over the clavicular hook plate fixation? *Knee Surg Sports Traumatol Arthrosc.* 2014;22(2):422–430
13. Rosso C, Martetschläger F, Saccomanno MF et al. High degree of consensus achieved regarding diagnosis and treatment of acromioclavicular joint instability among ESA-ESSKA members. *Knee Surg Sports Traumatol Arthrosc.* 2021;29(7):2325–2332
14. Kraus N, Hann C, Minkus M, Maziak N, Scheibel M. Primary versus revision arthroscopically-assisted acromioclavicular and coracoclavicular stabilization of chronic AC-joint instability. *Arch Orthop Trauma Surg.* 2019;139(8):1101–1109
15. Rockwood Jr C. Injuries to the acromioclavicular joint. *Fractures in adults.* 1984;1:860–910
16. Beitzel K, Mazzocca AD, Bak K et al. ISAKOS upper extremity committee consensus statement on the need for diversification of the Rockwood classification for acromioclavicular joint injuries. *Arthroscopy.* 2014;30(2):271–278
17. Velasquez Garcia A, Abdo G. Reliability of the ISAKOS Modification to Subclassify Rockwood Type III Acromioclavicular Joint Injuries. *Orthop J Sports Med.* 2022;10(12):23259671221133379
18. Barth J, Duparc F, Andrieu K et al. Is coracoclavicular stabilisation alone sufficient for the endoscopic treatment of severe acromioclavicular joint dislocation (Rockwood types III, IV, and V)? *Orthop Traumatol Surg Res.* 2015;101(8 Suppl):S297–303
19. Tauber M. Management of acute acromioclavicular joint dislocations: current concepts. *Arch Orthop Trauma Surg.* 2013;133(7):985–995
20. Reid D, Polson K, Johnson L. Acromioclavicular joint separations grades I-III: a review of the literature and development of best practice guidelines. *Sports Med.* 2012;42(8):681–696
21. Mouhsine E, Garofalo R, Crevoisier X, Farron A. Grade I and II acromioclavicular dislocations: results of conservative treatment. *J Shoulder Elbow Surg.* 2003;12(6):599–602
22. Barth J, Duparc F, Andrieu K et al. Is coracoclavicular stabilisation alone sufficient for the endoscopic treatment of severe acromioclavicular joint dislocation (Rockwood types III, IV, and V)? *Orthop Traumatol Surg Res.* 2015;101(8 Suppl):S297–303
23. Dey Hazra RO, Hanhoff M, Kühnapfel A et al. Superior clinical results for early arthroscopic treatment of grade IIIb and V acromioclavicular joint instability compared to delayed operative treatment. *J Shoulder Elbow Surg.* 2023;32(6):1185–1195
24. Song T, Yan X, Ye T. Comparison of the outcome of early and delayed surgical treatment of complete acromioclavicular joint dislocation. *Knee Surg Sports Traumatol Arthrosc.* 2016;24(6):1943–1950
25. Balke M, Schneider MM, Shafizadeh S, Bähis H, Bouillon B, Banerjee M. Current state of treatment of acute acromioclavicular joint injuries in Germany: is there a difference between specialists and non-specialists? A survey of German trauma and orthopaedic departments. *Knee Surg Sports Traumatol Arthrosc.* 2015;23(5):1447–1452
26. Chernchujit B, Tischer T, Imhoff AB. Arthroscopic reconstruction of the acromioclavicular joint disruption: surgical technique and preliminary results. *Arch Orthop Trauma Surg.* 2006;126(9):575–581
27. Dyrna F, Berthold DP, Feucht MJ et al. The importance of biomechanical properties in revision acromioclavicular joint stabilization: a scoping review. *Knee Surg Sports Traumatol Arthrosc.* 2019;27(12):3844–3855
28. Jensen G, Dey Hazra R-O, Hanhoff M, Lill H, Ellwein A. Arthroscopisch assistierte Versorgung der akuten Instabilität des Akromioklavikulargelenkes. *Oberer Extremität.* 2020;15(2):77–85

29. Stein T, Müller D, Blank M et al. Stabilization of Acute High-Grade Acromioclavicular Joint Separation: A Prospective Assessment of the Clavicular Hook Plate Versus the Double Double-Button Suture Procedure. *Am J Sports Med.* 2018;46(11):2725–2734
30. Lloyd AJ, Hurley ET, Davey MS, Pautzenberger L, Mullet H. Arthroscopic Suture-Button Versus Hook-Plate Fixation for Acromioclavicular Joint Injuries-A Systematic Review of Comparative Studies. *Arthrosc Sports Med Rehabil.* 2020;2(5):e671-e6
31. Jensen G, Dey Hazra RO, Al-Ibadi M et al. Arthroscopically assisted single tunnel reconstruction for acute high-grade acromioclavicular joint dislocation with an additional acromioclavicular joint cerclage. *Eur J Orthop Surg Traumatol.* 2023;33(4):1185–1192
32. Tauber M, Hoffelner T, Lehmann L, Kraus N, Scheibel M, Moroder P. Prospective Multicenter Randomized Controlled Trial of Surgical Versus Nonsurgical Treatment for Acute Rockwood Type 3 Acromioclavicular Injury. *Orthop J Sports Med.* 2023;11(8): 23259671231190411
33. Seo JB, Lee DH, Kim KB, Yoo JS. Coracoid clavicular tunnel angle is related with loss of reduction in a single-tunnel coracoclavicular fixation using a dog bone button in acute acromioclavicular joint dislocation. *Knee Surg Sports Traumatol Arthrosc.* 2019;27(12):3835–3843
34. Bieling M, Ellwein A, Lill H, Sehmisch S, Reeh FM. Proximal humerus fracture ans acromioclavicular joint dislocation. *Innov Surg Sci.* 2024;11;9(2):67–82
35. Maier D, Tuecking LR, Bernstein A et al. The acromioclavicular ligament shows an early and dynamic healing response following acute traumatic rupture. *BMC Musculoskelet Disord.* 2020;21(1):593
36. Borbas P, Churchill J, Ek ET. Surgical management of chronic high-grade acromioclavicular joint dislocations: a systematic review. *J Shoulder Elbow Surg.* 2019;28(10):2031–2038
37. Shin SJ, Campbell S, Scott J, McGarry MH, Lee TQ. Simultaneous anatomic reconstruction of the acromioclavicular and coracoclavicular ligaments using a single tendon graft. *Knee Surg Sports Traumatol Arthrosc.* 2014;22(9):2216–2222
38. Ellwein A, Jaeger M, Voigt C et al. Arthroscopically assisted stabilization versus hook plate fixation for chronic acromioclavicular joint separation. *Obere Extremität.* 2020;15(2):103–110
39. Arrigoni P, Brady PC, Zottarelli L et al. Associated lesions requiring additional surgical treatment in grade 3 acromioclavicular joint dislocations. *Arthroscopy.* 2014;30(1):6–10
40. Momenzadeh OR, Gerami MH, Sefidbakht S, Dehghani S. Assessment of Correlation Between MRI and Arthroscopic Pathologic Findings in the Shoulder Joint. *Arch Bone Jt Surg.* 2015;3(4):286–290

Literatur zum Beitrag

Milad Farkhondeh Fal, Jörn Kircher:

Schultergelenksinstabilität

Von der Diagnose bis zur Therapie

1. Howell SM, Galinat BJ: The glenoid-labral socket. A constrained articular surface. *Clin Orthop Relat Res*, 1989(243): p. 122–125
2. Levine WN, Flatow EL: The pathophysiology of shoulder instability. *Am J Sports Med*, 2000. 28(6): p. 910–917
3. Doukas WC, Speer KP: Anatomy, pathophysiology, and biomechanics of shoulder instability. *Orthop Clin North Am*, 2001. 32(3): p. 381–391, vii
4. Kuhn JE, Helmer TT, Dunn WR, Throckmorton VT: Development and reliability testing of the frequency, etiology, direction, and severity (FEDS) system for classifying glenohumeral instability. *J Shoulder Elbow Surg*, 2011. 20(4): p. 548–556
5. Housset V, Ho SWL, Ladermann A, Phua SKA, Hui SJ, Nourissat G: Multidirectional instability of the shoulder: a systematic review with a novel classification. *EFORT Open Rev*, 2024. 9(4): p. 285–296
6. Gerber C, Nyffeler RW: Classification of glenohumeral joint instability. *Clin Orthop Relat Res*, 2002(400): p. 65–76
7. Lebus 5th GF, Raynor MB, Nwosu SK et al.: Predictors for Surgery in Shoulder Instability: A Retrospective Cohort Study Using the FEDS System. *Orthop J Sports Med*, 2015. 3(10): p. 2325967115607434
8. Moroder P, Scheibel M: ABC classification of posterior shoulder instability. *Obere Extremität*, 2017. 12(2): p. 66–74
9. Gagey OJ, Gagey N: The hyperabduction test. *J Bone Joint Surg Br*, 2001. 83(1): p. 69–74
10. Gerber C, Ganz R: Clinical assessment of instability of the shoulder. With special reference to anterior and posterior drawer tests. *J Bone Joint Surg Br*, 1984. 66(4): p. 551–556
11. Bankart AS: Recurrent or Habitual Dislocation of the Shoulder-Joint. *Br Med J*, 1923. 2(3285): p. 1132–1133
12. Baudi P, Campochiaro G, Rebuzzi M, Martino G, Catani F: Assessment of bone defects in anterior shoulder instability. *Joints*, 2013. 1(1): p. 40–48
13. Bergin D: Imaging shoulder instability in the athlete. *Magn Reson Imaging Clin N Am*, 2009. 17(4): p. 595–615, v.
14. Hovelius L, Olofsson A, Sandstrom B et al.: Nonoperative treatment of primary anterior shoulder dislocation in patients forty years of age and younger. a prospective twenty-five-year follow-up. *J Bone Joint Surg Am*, 2008. 90(5): p. 945–952
15. Warby SA, Ford JJ, Hahne AJ et al.: Comparison of 2 Exercise Rehabilitation Programs for Multidirectional Instability of the Glenohumeral Joint: A Randomized Controlled Trial. *Am J Sports Med*, 2018. 46(1): p. 87–97
16. Warby SA, Pizzari T, Ford JJ, Hahne AJ, Watson L: The effect of exercise-based management for multidirectional instability of the glenohumeral joint: a systematic review. *J Shoulder Elbow Surg*, 2014. 23(1): p. 128–142
17. Ahmed I, Ashton F, Robinson CM: Arthroscopic Bankart repair and capsular shift for recurrent anterior shoulder instability: functional outcomes and identification of risk factors for recurrence. *J Bone Joint Surg Am*, 2012. 94(14): p. 1308–1315
18. Zhang M, Liu J, Jia Y et al.: Risk factors for recurrence after Bankart repair: a systematic review and meta-analysis. *J Orthop Surg Res*, 2022. 17(1): p. 113
19. Snyder SJ, Karzel RP, Pizzo WD, Ferkel RD, Friedman MJ: Arthroscopy classics. SLAP lesions of the shoulder. *Arthroscopy*, 2010. 26(8): p. 1117
20. Kircher J: Delta-Loop-Stitch: Three-Point Fixation for Combined Radial and Tangential Capsular Shift for the Treatment of Multidirectional Instability of the Shoulder and Hyperlaxity. *Arthrosc Tech*, 2021. 10(5): p. e1217–e1222
21. Mayer SW, Kraszewski AP, Skelton A, Kontaxis A, Warren R: What Are the Effects of Capsular Plication on Translational Laxity of the Glenohumeral Joint: A Study in Cadaveric Shoulders. *Clin Orthop Relat Res*, 2018. 476(7): p. 1526–1536
22. Boileau P, Villalba M, Hery JY, Balg F, Ahrens P, L. Neyton L: Risk factors for recurrence of shoulder instability after arthroscopic Bankart repair. *J Bone Joint Surg Am*, 2006. 88(8): p. 1755–1763
23. Hartzler RU, Bui CN, Jeong WK et al.: Remplissage of an Off-track Hill-Sachs Lesion Is Necessary to Restore Biomechanical Glenohumeral Joint Stability in a Bipolar Bone Loss Model. *Arthroscopy*, 2016. 32(12): p. 2466–2476
24. Widjaja AB, Tran A, Bailey M, Proper S: Correlation between Bankart and Hill-Sachs lesions in anterior shoulder dislocation. *ANZ J Surg*, 2006. 76(6): p. 436–438
25. Albers S, Farkhondeh Fal M, Kircher J: Arthroscopic Posterior HAGL Repair Using a Direct Transaxillary Portal. *Arthrosc Tech*, 2023. 12(7): p. e1027–e1031
26. Warner JJ, Beim GM: Combined Bankart and HAGL lesion associated with anterior shoulder instability. *Arthroscopy*, 1997. 13(6): p. 749–752
27. Farkhondeh Fal M, Heilmann LF, Kircher J: Instabilität des Schultergelenks – Teil 1: Pathophysiologie, Klassifikation und Diagnostik. *Orthopädie und Unfallchirurgie up2date* 2024; 19(05): 445–460
28. Kircher J, Heilmann LF, Farkhondeh Fal M: Instabilität des Schultergelenks – Teil 2: Therapie und Outcome. *Orthopädie und Unfallchirurgie up2date* 2024; 19(05): 461–482

Literatur zum Beitrag

Tobias C. Drenck, Alexander Korthaus, Lena Eggeling, Jannik Frings, Karl-Heinz Frosch, Ralph Akoto:

Die hintere Kreuzbandruptur Diagnostik, Begleitverletzungen und Therapieoptionen

1. Frosch K, Proksch N, Preiss A, Giannakos A: Treatment of bony avulsions of the posterior cruciate ligament (PCL) by a minimally invasive dorsal approach. *Oper Orthop Traumatol* 2012; 24:348–353
2. Yoon KH, Kim SG, Park JY: The amount of displacement can determine non-operative treatment in posterior cruciate ligament avulsion fracture. *Knee Surg Sports Traumatol Arthrosc* 2021; 29:1269–1275
3. Gopinath V, Mameri ES, Casanova FJ, et al.: Systematic Review and Meta-analysis of Clinical Outcomes After Management of Posterior Cruciate Ligament Tibial Avulsion Fractures. *Orthop J Sports Med* 2023; 11:23259671231188383
4. Migliorini F, Pintore A, Oliva F, Eschweiler J, Bell A, Maffulli N: Allografts as alternative to autografts in primary posterior cruciate ligament reconstruction: a systematic review and meta-analysis. *Knee Surg Sports Traumatol Arthrosc* 2023; 31:2852–2860
5. Migliorini F, Pintore A, Spiezia F, Oliva F, Hildebrand F, Maffulli N: Single versus double bundle in posterior cruciate ligament (PCL) reconstruction: a meta-analysis. *Sci Rep* 2022; 12:4160
6. Heitmann M, Gerau M, Hotzel J, Giannakos A, Frosch KH, Preiss A: Ligament bracing--augmented primary suture repair in multiligamentous knee injuries. *Oper Orthop Traumatol* 2014; 26:19–29
7. Drenck TC, Frings J, Alm L, Akoto R, Frosch K-H, Krause M: Concomitant instabilities associated with the posterior cruciate ligament: treatment of posterolateral instabilities. *Knie Journal*. 2020; 2:196–202
8. Weiss S, Krause M, Frosch KH: Clinical results after arthroscopic reconstruction of the posterolateral corner of the knee: A prospective randomized trial comparing two different surgical techniques. *Arch Orthop Trauma Surg* 2023; 143:967–975
9. Frosch KH, Akoto R, Heitmann M, Enderle E, Giannakos A, Preiss A: Arthroscopic reconstruction of the popliteus complex: accuracy and reproducibility of a new surgical technique. *Knee Surg Sports Traumatol Arthrosc* 2015; 23:3114–3120
10. Weiss S, Krause M, Frosch KH: Posterolateral corner of the knee: a systematic literature review of current concepts of arthroscopic reconstruction. *Arch Orthop Trauma Surg* 2020; 140:2003–2012
11. Krause M, Weiss S, Kolb JP et al.: Comparison of Arthroscopic versus Open Placement of the Fibular Tunnel in Posterolateral Corner Reconstruction. *J Knee Surg* 2023; 36:977–987
12. Frings J, Kolb JP, Drenck TC et al.: Anatomic Reconstruction of the Posterolateral Corner: An All-Arthroscopic Technique. *Arthrosc Tech* 2019; 8: 153–161
13. Frosch K-H, Krause M, Akoto R: Posterolaterale Instabilitäten am Kniegelenk. *Arthroskopie* 2018; 31(2):169–173
14. Jansson KS, Costello KE, O'Brien L, Wijdicks CA, Laprade RF: A historical perspective of PCL bracing. *Knee Surg Sports Traumatol Arthrosc* 2013; 21:1064–1070
15. Wang SH, Chien WC, Chung CH, Wang YC, Lin LC, Pan RY: Long-term results of posterior cruciate ligament tear with or without reconstruction: A nationwide, population-based cohort study. *PLoS One* 2018; 13:e0205118
16. Agolley D, Gabr A, Benjamin-Laing H, Haddad FS: Successful return to sports in athletes following non-operative management of acute isolated posterior cruciate ligament injuries: medium-term follow-up. *Bone Joint J* 2017; 99:774–778
17. Bedi A, Musahl V, Cowan JB: Management of Posterior Cruciate Ligament Injuries: An Evidence-Based Review. *J Am Acad Orthop Surg* 2016; 24:277–289
18. Pierce CM, O'Brien L, Griffin LW, Laprade RF: Posterior cruciate ligament tears: functional and postoperative rehabilitation. *Knee Surgery, Sports Traumatology, Arthroscopy* 2013; 21:1071–1084
19. Ahn JH, Lee SH, Choi SH, Wang JH, Jang SW: Evaluation of clinical and magnetic resonance imaging results after treatment with casting and bracing for the acutely injured posterior cruciate ligament. *Arthroscopy: The Journal of Arthroscopic & Related Surgery*. 2011; 27:1679–1687
20. Jung YB, Tae SK, Lee YS, Jung HJ, Nam CH, Park SJ: Active non-operative treatment of acute isolated posterior cruciate ligament injury with cylinder cast immobilization. *Knee Surgery, Sports Traumatology, Arthroscopy* 2008; 16:729–733
21. Jacobi M, Reischl N, Wahl P, Gautier E, Jakob RP: Acute isolated injury of the posterior cruciate ligament treated by a dynamic anterior drawer brace: a preliminary report. *J Bone Joint Surg Br* 2010; 92:1381–1384
22. Klose M, Forkel P, Imhoff A: Rehabilitation after reconstruction of the posterior cruciate ligament. *MMW Fortschr Med* 2018; 160:69–71